



Govt. of India
Ministry of Labour & Employment
DIRECTORATE GENERAL OF MINES SAFETY

APPLICATION FORM FOR NATIONAL SAFETY AWARDS (MINES), 2010

[Form furnishing the particulars specified below along with crossed Indian Postal Order(s) / Demand Draft of Rs.100/- (Rupees one hundred only) should reach the **Member-Secretary, NSA Committee & Director of Mines Safety (SOMA), Directorate-General of Mines Safety, Dhanbad-826001**, by **29.07.2011** or within one month from the date of publication in the National Newspapers which ever is latter. Postal orders/ demand draft should be drawn in favour of Administrative Officer/Drawing & Disbursing Officer, DGMS (HQ), payable at Dhanbad. Incomplete application or application received after the last date may be rejected without specifying any reason.]

1.0 GENERAL

- 1.1 Name of Mine _____ Mine Code _____
- 1.2 Name of Company _____
- 1.3 Name of Mineral _____
- 1.4 Address of Mine _____
- PO. : _____
- Dist. _____ State: _____
- PIN Code _____
- Telephone No. with STD Code _____

1.4 Name and address of Owner/Nominated Owner of the mine to which all correspondence on this subject is to be made (In BLOCK letters):

- a) Name Shri/Smt. _____
- b) Designation _____
- c) Full Address _____
- PO: _____
- Dist. _____ State: _____
- PIN Code _____
- d) Telephone Numbers with STD Code _____
- e) Mobile phone Number _____
- f) FAX Number with STD Code _____
- g) E-mail ID _____

2.0 TYPE AND GENERAL PARTICULARS OF MINE

[Read the instructions carefully before filling in the form and use code no. as indicated]

- 2.1 Type of mine
(See instructions B on last page)
- 2.2 If the mine is primarily belowground coal mine,
- a) Period(s) of belowground working in
2010 in days
- b) Depth of the present workings in
2010 in metres
- c) Is there any working depth of >300m during last
6 months of 2010?
- d) Does it have working seam(s) of
Degree III ?
- e) Has any longwall face been worked for
at least six months in 2010?
- f) Has the mine using LHD/SDL in depillaring/
Development areas in 2010?
- f) In case of depillaring workings, the
Thickness of extraction (in metres)
- g) Gradient 1 in

[Strike off which is not applicable]

3.0 PARTICULARS OF MANSHIFTS AND OUTPUT

3.1 Manshifts(including contractual workers) worked during the year 2008, 2009 & 2010

Month	Manshifts worked		
	2008	2009	2010
January			
February			
March			
Sub Total (1 st Qtr)			
April			
May			
June			
Sub Total (2 nd Qtr)			
July			
August			
September			
Sub Total (3 rd Qtr)			
October			
November			
December			
Sub Total (4 th Qtr)			
Grand Total (Yearly)			


Note - Manshifts worked for a month are obtained by adding the daily attendance (in all the shifts) for the whole month. Contractors' employees, clerical and supervisory staffs shall be included. Senior supervisory official like Agents, Managers, Asstt. Manager, Under-Managers, Engineers, Suveyors and Doctors shall be excluded.

3.2 Production (in Tonne) & Overburden removed(in Cu.M) [Excluding Oil Mines]

MONTH	Production (in Tonne) & Overburden removed (in Cu.M.)					
	2008		2009		2010	
	Prod.	OB.	Prod.	OB.	Prod.	OB.
January						
February						
March						
Sub Total (1 st Qtr)						
April						
May						
June						
Sub Total (2 nd Qtr)						
July						
August						
September						
Sub Total (3 rd Qtr)						
October						
November						
December						
Sub Total (4 th Qtr)						
Grand Total(Yearly)						


3.3

Production (in tonnes) and Removal of Overburden (in cubic metres) in 2010 [Excluding Oil Mines]



3.4


No. of Districts (for below ground coal mines)



3.5 For OIL MINES ONLY Production (in Metric Tonne for Oil and Std Million Cubic Metre for Gas) & Drilling (in Meterage)

MONTH	2008		2009		2010			
	Prod.		Drilling		Prod.		Drilling	
	Oil	Gas	Oil	Gas	Oil	Gas	Oil	Gas
January								
February								
March								
Sub Total (1 st Qtr)								
April								
May								
June								
Sub Total (2 nd Qtr)								
July								
August								
September								
Sub Total (3 rd Qtr)								
October								
November								
December								
Sub Total (4 th Qtr)								
Grand Total(Yearly)								

3.6 Production & Drilling in 2010



[1 cubic metre of crude oil = 0.85 metric tonne]

4.0 Chronologically arranged list of mining statistical accidents during 1.1.2008 to 31.12.2010.

(Please show fatal and serious accidents in the same list. The list should be arranged date wise.)

Sl. No.	Date of Accident*	Type of accident (F/S)	Numbers of persons		Remarks
			killed	Seriously injured	

* For each accident, date of accident is to be given in full, e.g. 09.12.10. Entries like "2010" or "Dec. 2010 are not allowed in this column.

Note : Please ensure that each page bears signature of authorized workers representative and mine management before submission.

5.0 DETAILS OF ENCLOSED CROSSED POSTAL ORDER(S)/ DEMAND DRAFT
[Postal orders must be made payable to Administrative Officer/Drawing & Disbursing Officer, DGMS (HQ), payable at Dhanbad.]

IPO / DD Number	Value (Rs.)	Date of issue	Name of issuing post office with PIN code/Bank

3.0 Certified that –

- Information furnished above is correct to the best of my knowledge and belief;
- Details furnished above have been scrutinized and approved by the Safety Committee / Committee assigned for the purpose by the management which has a workmen’s representative; and
- I was not convicted for breach of any of the statutory safety provisions in connection with the mine during 2010.

Signature of Workmen’s Inspector/
workman’s representative who
scrutinized the form

Date :

Name : _____

Designation :

Seal :

Signature of Mine Management
(Owner / Agent / Manager)
Strike off whichever is not applicable

Date :

Name : _____

Designation :

Seal :

Note - 1. To be signed by workmen’s Inspector. If no Workmen’s Inspector is appointed, the signature of Workmen’s Representative (representative of a recognized Trade Union) is required here.

2. Signature of both i.e. Workmen’s Inspector/representative and Mine Management with name and designation is must, otherwise the application will be disqualified.

GENERAL INSTRUCTIONS

A. DEFINITIONS ADOPTED

1. A mine having both belowground and opencast working is treated as belowground, if the output from belowground is 50 percent or more of the total output in 2010. Otherwise it is treated as opencast.
2. A mine is treated as mechanized opencast, if it is opencast and either output or quantity of overburden removed from the mechanized faces using heavy earth moving machinery/with deep hole blasting is 50 percent or more of the corresponding total output or the removal of overburden from all opencast workings during 2010.
3. Other opencast mines excluding oil mines are treated as manual opencast mines.
4. A belowground coal mine operational for at least six months during the contest year will be considered as a belowground coal mine with difficult mining conditions

IF

It has working depth of 300 metres or more

OR

It satisfies at least two of the following conditions:

- (a) Working degree III gassy seam;
- (b) Having longwall face(s) worked for at least six months.
- (c) Having mechanized development / depillaring workings;
- (d) Having depillaring workings with thickness of extraction greater than or equal to 3.6 metres;
- (e) Having gradient 1 in 3 or steeper.

B. TYPES OF MINE, THEIR CODE NUMBERS AND DETAILS OF AWARDS SCHEME FROM 2004 ONWARDS

Code of Mine	Type of Mine	Details of Award		
		LAFP	LIFR	
			Manshifts	Output
1	COAL MINES Belowground with difficult mining condition	2	2	-
2	COAL MINES - Belowground (Others)	2	2	-
3	COAL MINES - Opencast	2	2	2
4A	METAL MINES – Mechanised opencast with manshifts worked >0.5 lakh	2	2	-
4B	METAL MINES – Mechanised opencast with manshifts worked ≤0.5 lakh		2	-
5A	METAL MINES - Manual opencast with manshifts worked >0.25 lakh	2	2	-
5B	METAL MINES - Manual opencast with manshifts worked ≤0.25 lakh		2	-
6	METAL MINES – Belowground	2	2	-
7	OIL MINES	2	2	-
Total		14	18	2

LAFP: Longest Accident Free Period

LIFR: Lowest Injury Frequency Rate
